




# LINER "O" RING




《FD6》




《FD35》




《RD8/RD10》



《6D15》



《6D22/6D22T》



《8DC6/8/9》



《6QA1》




《10PC1-T》



《EF750/K13C》



《EK100》



《S6D125》



《S6D155》

## ● LINER "O" RING

[illegible]

**FL = FLAT TYPE**  
**L = LARGE = THICK TYPE**  
**M = MEDIUM TYPE.**  
**S = SMALL = THIN TYPE.**

| ENGINE NO.                                                                             | PART NO.                              | PIECE/PER SET                                |    |
|----------------------------------------------------------------------------------------|---------------------------------------|----------------------------------------------|----|
| <b>8DC4</b>                                                                            |                                       | <b>8 (FL) + 16(M)</b>                        | 24 |
| <b>8DC6 (68)</b><br><b>8DC81/82</b><br><b>8DC-90/91A/92A</b><br><b>(FV305/310/320)</b> | 31207-62400 (FL)<br>31207-62301/2 (M) | <b>8 (FL) + 16(M)</b>                        | 24 |
| <b>8DC-11 (FV355)</b>                                                                  | ME035606                              | <b>16(M) + 8(S)</b>                          | 24 |
| <b>6DC-2/4</b>                                                                         |                                       | <b>6 (L) + 12(M)</b>                         | 18 |
| <b>6D10</b><br><b>6D11</b>                                                             |                                       | <b>12</b>                                    | 12 |
| <b>6D14</b><br><b>6D14-T</b>                                                           | ME031605                              | <b>12</b>                                    | 12 |
| <b>6D15</b><br><b>6D15-T</b>                                                           | ME031610                              | <b>6 (FL) + 12(M)</b>                        | 18 |
| <b>6D15 N</b>                                                                          |                                       | <b>6 (FL) + 12(M)</b>                        | 18 |
| <b>6D20</b><br><b>6D18</b>                                                             |                                       | <b>6 (FL) + 12(M)</b>                        | 18 |
| <b>6D22 (OLD)</b>                                                                      | 30707-22300                           | <b>6 (FL) + 12(M) + 6 (S)</b>                | 24 |
| <b>6D22 (NEW)</b><br><b>6D22-T</b>                                                     | 30939-00300<br>31139-02201            | <b>6 (FL) + 12(M) + 12(S)</b><br><b>(RD)</b> | 30 |
| <b>6DS7</b>                                                                            |                                       | <b>12</b>                                    | 12 |
| <b>6DB (T33)</b>                                                                       |                                       | <b>12</b>                                    | 12 |
| <b>8M20</b><br><b>8M21</b>                                                             |                                       | <b>8(FL) + 16(L)</b>                         | 24 |
| <b>S6A</b>                                                                             | 32507-02600<br>32507-02700            | <b>12 (FL) + 6 (FL)</b><br><b>RD BK</b>      | 18 |
| <b>S6B</b>                                                                             | 31207-62400<br>31207-62301            | <b>6 (FL) + 12 (M)</b>                       | 18 |
|                                                                                        |                                       |                                              |    |
|                                                                                        |                                       |                                              |    |
|                                                                                        |                                       |                                              |    |

FL = FLAT TYPE  
L = LARGE = THICK TYPE  
M = MEDIUM TYPE.  
S = SMALL = THIN TYPE.

| ENGINE NO.                                | PART NO.          | PIECE/PER SET             |           |
|-------------------------------------------|-------------------|---------------------------|-----------|
| <b>12PA1</b><br><b>12PB1</b>              |                   | <b>24 (L) + 12(M)</b>     | <b>36</b> |
| <b>12PC1</b>                              |                   | <b>24 (L) + 12(M)</b>     | <b>36</b> |
| <b>12PC1-T</b><br><b>12PD1</b>            |                   | <b>12(FL)+24(L)+12(M)</b> | <b>48</b> |
| <b>10PA1 , 10PB2</b><br><b>(V10 320)</b>  | 9-11267-039-0 (L) | <b>20(L) + 10(M)</b>      | <b>30</b> |
| <b>10PC1, 10PC2</b><br><b>(V10 330)</b>   |                   | <b>20(L) + 10(M)</b>      | <b>30</b> |
| <b>10PC1-T, 10PD1</b><br><b>(V10 340)</b> |                   | <b>10(FL)+20(L)+10(M)</b> | <b>40</b> |
| <b>8PA1, 8PB1</b>                         | 9-11267-039-0     | <b>16(L) + 8(M)</b>       | <b>24</b> |
| <b>8PC1</b>                               |                   | <b>16(L) + 8(M)</b>       | <b>24</b> |
| <b>8PC1-T, 8PD1</b>                       |                   | <b>8(FL)+16(L)+8(M)</b>   | <b>32</b> |
| <b>6QA1 (TDJ)</b>                         |                   | <b>12</b>                 | <b>12</b> |
| <b>6QA1-T</b>                             |                   | <b>6 (FL) +12(M)</b>      | <b>18</b> |
| <b>DH100</b><br><b>DA640</b>              | 9-11267-010-0     | <b>12 (silicone)</b>      | <b>12</b> |
| <b>DA120 / TX</b>                         |                   | <b>12</b>                 | <b>12</b> |
| <b>DA220</b>                              |                   | <b>8</b>                  | <b>8</b>  |
|                                           |                   |                           |           |
|                                           |                   |                           |           |
|                                           |                   |                           |           |
|                                           |                   |                           |           |
|                                           |                   |                           |           |
|                                           |                   |                           |           |

FL = FLAT TYPE  
 L = LARGE = THICK TYPE  
 M = MEDIUM TYPE.  
 S = SMALL = THIN TYPE.

| ENGINE NO.                                  | PART NO.        | PIECE/PER SET            |    |
|---------------------------------------------|-----------------|--------------------------|----|
| <b>EF750 (4.8mm)</b><br><b>EF500</b>        |                 | <b>8 (BK) + 8 (GN)</b>   | 16 |
| <b>EF300</b>                                | 11471-1200      | <b>16</b>                | 16 |
| <b>EF100</b>                                |                 | <b>16</b>                | 16 |
| <b>ER200</b>                                |                 | <b>12</b>                | 12 |
| <b>EK100 (L)(4.8mm)</b>                     | 11471-1450      | <b>12</b>                | 12 |
| <b>EK100 (M)(3.5mm)</b>                     | 11471-1011      | <b>12</b>                | 12 |
| <b>K13C , K13D</b><br><b>K13C-24V-TE/TV</b> |                 | <b>6 (BK) + 6 (GN)</b>   | 12 |
| <b>F17C</b>                                 |                 | <b>8 (BK) + 8 (GN)</b>   | 16 |
| <b>V22C</b>                                 |                 | <b>10 (BK) + 10 (GN)</b> | 20 |
| <b>ED100 (3.6mm)</b>                        |                 | <b>12</b>                | 12 |
| <b>ED100 (4.2mm)</b>                        | 11471-1040/1180 | <b>12</b>                | 12 |
| <b>ED100(L) (4.9mm)</b>                     |                 | <b>12 (L)</b>            | 12 |
| <b>EB400</b><br><b>EB300</b>                | 11471-1110      | <b>12</b>                | 12 |
| <b>EB300 (L) (4.3mm)</b>                    | 11471-1120      | <b>12</b>                | 12 |
| <b>EB100, EB200</b><br><b>KB115</b>         | 11471-1100      | <b>12</b>                | 12 |
| <b>EL100</b>                                |                 | <b>12</b>                | 12 |
| <b>EC100 / KL(3.8mm)</b>                    | 11471-1070      | <b>12</b>                | 12 |
| <b>DM100 / KM</b><br><b>DQ100</b>           | 11471-1050      | <b>12</b>                | 12 |
| <b>DK10</b>                                 |                 | <b>12</b>                | 12 |
| <b>DS50</b><br><b>DS70</b>                  |                 | <b>12</b>                | 12 |
|                                             |                 |                          |    |

FL = FLAT TYPE  
 L = LARGE = THICK TYPE  
 M = MEDIUM TYPE.  
 S = SMALL = THIN TYPE.



| ENGINE NO.  | PART NO.             | PIECE/PER SET       |    |
|-------------|----------------------|---------------------|----|
| 4D92        | 6140-21-2220K        | 4 (BK) + 4(RD)      | 8  |
|             | 6140-21-2220 (BK)    |                     |    |
|             | 6140-21-2230 (RD)    |                     |    |
| 4D94        | 6142-21-2221K        | 4 (BK) + 4(RD)      | 8  |
|             | 6142-21-2221 (BK)    |                     |    |
|             | 6142-21-2230 (RD)    |                     |    |
| 4D105-3     | 6130-21-2220K        | 4 (BK) + 4(RD)      | 8  |
|             | 6130-21-2220 (BK)    |                     |    |
|             | 6130-21-2230 (RD)    |                     |    |
| 4D105-5     | 6134-21-2220K        | 4(FL) + 4(BK)+4(RD) | 12 |
|             | 6136-21-2220K        |                     |    |
|             | 6136-21-2220 (FL)    |                     |    |
|             | 6136-21-2260 (BK)    |                     |    |
|             | 6136-21-2240 (RD)    |                     |    |
| 4D120       | 6610-31-2020         | 8(BK)               | 8  |
| 4D130       | 6610-21-2240K        | 4(FL) + 4(BK)+4(RD) | 12 |
|             | 6610-21-2240 (FL)    |                     |    |
|             | 6610-21-2221 (BK)    |                     |    |
|             | 6610-21-2250 (RD)    |                     |    |
| 6D105       | 6136-21-2220K        | 6(FL) + 6(BK)+6(RD) | 18 |
|             | 6136-21-2220 (FL)    |                     |    |
|             | 6136-21-2230 (BK)    |                     |    |
|             | 6136-21-2240 (RD)    |                     |    |
| 6D125       | 6150-21-2230K        | 6(FL) + 6(BK)+6(RD) | 18 |
| 6D125 (NEW) | 6150-21-2230 (RD)    |                     |    |
|             | 6150-21-2240 (BK)    |                     |    |
|             | 6150-21-2250 (FL)    |                     |    |
| 6D155       | 6127-21-2252K        | 6(FL) + 6(BK)+6(RD) | 18 |
| 6D1554A     | 6127-21-2252 (FL)    |                     |    |
|             | 6127-21-2241 (RD)    |                     |    |
|             | 6127-21-2221 (BK)    |                     |    |
| 6D140       | 6210-21-2230K        | 6(FL) + 6(BK)+6(RD) | 18 |
|             | 6210-21-2250/70 (FL) |                     |    |
|             | 6210-21-2240 (BK)    |                     |    |
|             | 6210-21-2230 (RD)    |                     |    |
| 6D170       | 6162-23-2250K        | 6(FL) + 6(BK)+6(RD) | 18 |
|             | 6162-23-2250 (FL)    |                     |    |
|             | 6162-23-2220 (BK)    |                     |    |
|             | 6162-23-2240 (RD)    |                     |    |

FL = FLAT TYPE  
 L = LARGE = THICK TYPE  
 M = MEDIUM TYPE.  
 S = SMALL = THIN TYPE.



| ENGINE NO.             |          | PART NO.                                              | PIECE/PER SET      |        |
|------------------------|----------|-------------------------------------------------------|--------------------|--------|
| 3300                   |          | 5P8768 / 2P8889<br>2W6134 (FL)<br>5S6670 / 9L5854 (M) | 1(FL) +3(M)<br>BK  | 4 /Cyl |
| 3306                   | (6 Cyl)  | 5P8768 / 2P8889<br>2W6134 (FL)<br>5S6670 / 9L5854 (M) | 6(FL) +18(M)<br>BK | 24     |
| 3304                   | (4 Cyl)  | 5P8768 / 2P8889<br>2W6134 (FL)<br>5S6670 / 9L5854 (M) | 4(FL) +12(BK)      | 16     |
| 3400                   |          | 2W6000 / 1609874<br>9I-5854 (FL)<br>(M)               | 1 (FL) + 3 (M)     | 4 /Cyl |
| 3406                   | (6 Cyl)  | 2W6000 / 1609874<br>9I-5854 (FL)<br>(M)               | 6(FL) + 18(M)      | 24     |
| 3408                   | (8 Cyl)  | 2W6000<br>9I-5854 (FL)<br>(M)                         | 8(FL) + 24(M)      | 32     |
| 3412                   | (12 Cyl) | 2W6000<br>9I-5854 (FL)<br>(M)                         | 12(FL) + 36(M)     | 48     |
| D339                   | (4 Cyl)  | 5P8970 / 8N5676<br>8N4708 (FL)<br>6L7815 (M)          | 4 (FL) + 12 (M)    | 16     |
| D342<br>D342C<br>D342T | (6 Cyl)  | 5P9221<br>8N4638 (FL)<br>6L7812 (M)                   | 6 (FL) + 18 (M)    | 24     |
| D364<br>D375<br>D375D  | (8 Cyl)  | 5P8970 / 8N5676<br>8N4708 (FL)<br>6L7815 (M)          | 8 (FL) + 24 (M)    | 32     |
| D386<br>D397<br>D397D  | (12 Cyl) | 5P8970 / 8N5676<br>8N4708 (FL)<br>6L7815 (M)          | 12 (FL) + 36 (M)   | 48     |
| D353                   | (1 Cyl)  | 6V3774<br>8N4704 (FL)<br>7N2046 (M)                   | 1 (FL) + 3 (M)     | 4 /Cyl |
| D353                   | (6 Cyl)  | 6L7815 / 8N9174<br>8N4704 (FL)<br>7N2046 (M)          | 6 (FL) + 18 (M)    | 24     |
|                        |          |                                                       |                    |        |
|                        |          |                                                       |                    |        |

FL = FLAT TYPE  
 L = LARGE = THICK TYPE  
 M = MEDIUM TYPE.  
 S = SMALL = THIN TYPE.



# CUMMINS

**FL = FLAT TYPE**  
**L = LARGE = THICK TYPE**  
**M = MEDIUM TYPE.**  
**S = SMALL = THIN TYPE.**

## ● LINER "O" RING

[illegible]

**FL = FLAT TYPE**  
**L = LARGE = THICK TYPE**  
**M = MEDIUM TYPE.**  
**S = SMALL = THIN TYPE.**